I^st and final Bill

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

116542

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Name of work :— providing and supplying drinking water facility in Kempegowda ward no-01 of Yelahanka Sub town.						
	work order no :— YNKD/EPMT-16/WO/218/2019-20 dt 24/2/2020						
	Job code :— 001-20-000031						
	Agency :— M. Satish no-66. 60 feet Road R.M.V. 2nd stage Bhoopsandra, Hoysala STS Krishna. Appst. Bl-94						
	A/S no :— EE/YNKD/AS/82/2019-20 dt 30-01-2020.						
	T/S no :— EE/YNKD/TS/25/2019-20 dt 30-01-2020						
	Estd cost :— Rs 20.00 Lakhs						
	Tender amt Rs :— 20,52,925-00						

Scanned with CamScanner

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

Serial No. 116544

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions: Length	Dimensions: Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
19/3/2020	1) 350.00 to 378.00 mt 2) 350.00 to 386 mt 3) Supplying of ISI mark 175mm nominal bore medium black ERW casing pipe of 5mm	@ @	1 × 28.00 1 × 36.00 @ 64.00 mt @ Rs 941-00/mt.				Rs 79,044-00

Scanned with CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	C&FC Paid 19/03/2021	1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	@ Rs 2092/m²
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14 m²	
		1	30.00	0.60	0.23	= 4.14	Rs. 1,67,423.00
		1	30.00	0.60	0.23	= 4.14	
						80.03 m²	
21)	Supplying fully automatic Star delta starter unit push button type with suitable wires 3 contactors one adjustable thermal timing mounted on a common base plate held in steel enclosure for use on 400/440 volts 3 phases and wired after fixing						

Scanned with CamScanner